

SAFETY DATA SHEET

Issuing Date 30-Dec-2013

Revision Date 08-Feb-2019

Revision Number 3



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name J-89[™] and J-75[®]

Other means of identification

Product Code(s) 244; 248

Synonyms JET-LUBE ® J-89™; JET-LUBE ® J-75 ®

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube, LLC

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone

Number

1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Skin sensitization Category 1



Appearance Bronze Dark

Physical state Paste / Gel

Odor Petroleum

GHS Label elements, including precautionary statements

Warning

Hazard statements

May cause an allergic skin reaction



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Skin

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

May cause long lasting harmful effects to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Synonyms

JET-LUBE $^{\$}$ J-89 $^{\text{TM}}$; JET-LUBE $^{\$}$ J-75 $^{\$}$

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers	74869-21-9	65-70	-	-



predominantly in the range of C12 through C50. may contain organic salts of alkali metals,				
alkaline earth metals, etc.				
Graphite	7782-42-5	10-15	-	-
Mica	12001-26-2	10-15	-	-
Molybdenum (IV) sulfide	1317-33-5	1-5	-	-
Copper	7440-50-8	1-5	-	-
1,3,4-Thiadiazole, 2,5-bis(octyldithio)-	13539-13-4	<1	-	-

4. FIRST AID MEASURES

First aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.



6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take

off contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m ³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m³ respirable
	except graphite fibers	TWA: 5 mg/m³ respirable	dust
	-	fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	



Mica 12001-26-2		TWA: 3 mg	g/m³		pcf (<1% crystalline silica) m³ (vacated)		H: 1500 mg/m³ containing <1% quartz : 3 mg/m³ respirable dust
Molybdenum (IV) sulfic 1317-33-5	de	TWA: 10 mg/m ³ M particulate r TWA: 3 mg/m ³ Mo particulate r	natter o respirable		mg/m³ total dust WA: 10 mg/m³ Mo		DLH: 5000 mg/m³ Mo
Copper 7440-50-8		TWA: 0.2 mg/r	n ³ fume	TWA: 1 mg (vacated) T	1 mg/m³ fume /m³ dust and mist WA: 0.1 mg/m³ Cu , fume, mist	TWA	d: 100 mg/m³ dust, fume and mist i: 1 mg/m³ dust and mist WA: 0.1 mg/m³ fume
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Graphite 7782-42-5	٦	ΓWA: 2 mg/m³	TWA: 2	2 mg/m³	TWA: 2 mg/m ²	3	TWA: 2 mg/m ³
Mica 12001-26-2	٦	ΓWA: 3 mg/m³	TWA: 3	3 mg/m ³	TWA: 3 mg/m ²	3	TWA: 3 mg/m ³
Molybdenum (IV) sulfide 1317-33-5		WA: 10 mg/m³ 「WA: 3 mg/m³		3 mg/m³ 0 mg/m³	TWA: 10 mg/m TWA: 3 mg/m ²		TWA: 10 mg/m ³
Copper 7440-50-8		WA: 0.2 mg/m ³ 「WA: 1 mg/m ³		mg/m³ 2 mg/m³	TWA: 0.2 mg/m TWA: 1 mg/m ²		TWA: 0.2 mg/m ³ TWA: 1 mg/m ³

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protection Wear suitable protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Paste / Gel
Appearance Bronze Dark
Odor Petroleum

ColorNo information availableOdor ThresholdNo data available

<u>Property</u> <u>Values</u> <u>Remarks Method</u>

Melting / freezing point 232 °C

232 °C None known

Boiling point / boiling range 316 °C Flash Point > 221 °C

Evaporation Rate No data available None known



None known

Flammability (solid, gas)

No data available

None known

Flammability Limit in Air

None known

Upper flammability limit

Lower flammability limit

No data available

No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.22

Water Solubility Insoluble in water Solubility(ies) No data available

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties

Oxidizing properties

No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) None

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact (based on components). Causes eye irritation.

Skin contact May cause sensitization by skin contact. Specific test data for the substance or mixture is

not available. Repeated or prolonged skin contact may cause allergic reactions with

susceptible persons. (based on components).



Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms Itching. Rashes. Hives.

Numerical measures of toxicity

Acute Toxicity

Ingestion

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,305.00 mg/kg

Unknown acute toxicity
Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex	= 2280 mg/kg (Rat)		
combination of hydrocarbons			
having carbon numbers			
predominantly in the range of			
C12 through C50. may contain			
organic salts of alkali metals,			
alkaline earth metals, etc.			
Molybdenum (IV) sulfide			> 2820 mg/m³ (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. May cause skin irritation.

Serious eye damage/eye irritation Classification based on data available for ingredients. Irritating to eyes.

Respiratory or skin sensitization May cause sensitization by skin contact.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT

Ecotoxicity .

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	



carbon numbers				
predominantly in the				
range of C12 through				
C50. may contain organic				
salts of alkali metals,				
alkaline earth metals, etc.				
Copper	EC50 96 h: 0.031 -	LC50 96 h: 0.0068 -	-	EC50 48 h: = 0.03 mg/L
	0.054 mg/L static	0.0156 mg/L		Static (Daphnia magna)
	(Pseudokirchneriella	(Pimephales promelas)		· ,
	` subcapitata)	LC50 96 h: < 0.3 mg/L		
	EC50 72 h: 0.0426 -	static (Pimephales		
	0.0535 mg/L static	promelas)		
	(Pseudokirchneriella	LC50 96 h: = 0.052 mg/L		
	subcapitata)	flow-through		
	ous capitata)	(Oncorhynchus mykiss)		
		LC50 96 h: = 0.112 mg/L		
		flow-through (Poecilia		
		reticulata)		
		LC50 96 h: = 0.2 mg/L		
		flow-through (Pimephales		
		promelas)		
		LC50 96 h: = 0.3 mg/L		
		semi-static (Cyprinus		
		carpio)		
		LC50 96 h: = 0.8 mg/L		
		static (Cyprinus carpio)		
		LC50 96 h: = 1.25 mg/L		
		static (Lepomis		
		macrochirus)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste
Copper 7440-50-8	Toxic

14. TRANSPORT INFORMATION



DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

DOT

TDG Not regulated

Marine Pollutant This product contains a chemical which is listed as a severe marine pollutant according to

TDG.

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.

ENCS Contact supplier for inventory compliance status.
KECL Contact supplier for inventory compliance status.

PICCS Complies.
AICS Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical



or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight-%	SARA 313 - Threshold Values %
Copper - 7440-50-8	7440-50-8	1-5	1.0

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Copper 7440-50-8		Х	Х	

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Copper 7440-50-8	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite 7782-42-5	Х	Х	Х		
Mica 12001-26-2	Х	Х	Х		
Molybdenum (IV) sulfide 1317-33-5		Х			
Copper 7440-50-8	Х	Х	Х	Х	Х

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties HMIS Health hazards 1 Flammability 1 Physical hazards 0 Personal Protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Prepared By Product Stewardship



23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 30-Dec-2013

Revision Date 08-Feb-2019

Revision Note Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



