

SAFETY DATA SHEET

Issuing Date 10-Nov-2011 Revision Date 01-Mar-2019 Revision Number 3

(II)

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name JET-LUBE® RUN N SEAL® EXTREME

Other means of identification

Product Code(s) 122

Synonyms RUN N SEAL® EXTREME

Recommended use of the chemical and restrictions on use

Recommended Use Sealant Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube, LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone 1-800-699-6318

Number

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



Appearance Black Physical state Gel Odor Petroleum

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection

12001-26-2

1305-78-8

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

Unknown acute toxicity No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

RUN N SEAL® EXTREME

Substance

Not applicable.

<u>Mixture</u>

Synonyms

Chamical Nama

	Chemical Name	CAS-NO	weight-%	Information Review Act registry number (HMIRA registry #)	date exemption granted (if applicable)
(Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.		40-60	-	-
Γ	Graphite	7782-42-5	20-25	-	-
Γ	Talc	14807-96-6	5-10	-	-

CAS No. Woight 9/ Hazardous Material Date HMIDA filed and

4. FIRST AID MEASURES

5-10

1-5

First aid measures

Mica Calcium oxide

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. IF exposed or concerned: Get medical advice/attention.



Page 2/10

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe vapor

or mist. Use personal protective equipment as required. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.



Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Graphite	TWA: 2 mg/m³ respirable	TWA: 15 mg/m³ total dust	IDLH: 1250 mg/m ³
7782-42-5	particulate matter all forms	synthetic	TWA: 2.5 mg/m³ respirable
	except graphite fibers	TWA: 5 mg/m³ respirable	dust
		fraction synthetic	
		(vacated) TWA: 2.5 mg/m ³	
		respirable dust natural	
		(vacated) TWA: 10 mg/m³ total	
		dust synthetic	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction synthetic	
		TWA: 15 mppcf natural	
Talc	TWA: 2 mg/m ³	(vacated) TWA: 2 mg/m ³	IDLH: 1000 mg/m3 containg no
14807-96-6			asbestos and <1% quartz
			TWA: 2 mg/m ³
Mica	TWA: 3 mg/m ³	TWA: 20 mppcf (<1% crystalline	IDLH: 1500 mg/m³ containing
12001-26-2		silica)	<1% quartz
		3 mg/m³ (vacated)	TWA: 3 mg/m³ respirable dust
Calcium oxide	-	TWA: 5 mg/m ³	IDLH: 25 mg/m ³



1305-78-8) TWA: 5 mg/m ³	TWA: 2 mg/m ³	
Chemical Name	Chemical Name Alberta		British Columbia		Ontario TWAEV	/ Quebec	
Graphite 7782-42-5	7	TWA: 2 mg/m ³ TWA: 2 mg/m ³ TWA: 2		TWA: 2 mg/m ³	TWA: 2 mg/m ³		
Talc 14807-96-6	٦	ΓWA: 2 mg/m³	TWA: 2 mg/m ³ TWA: 3 mg/m ³		TWA: 2 mg/m ³	TWA: 3 mg/m ³	
Mica 12001-26-2	1 111119111				TWA: 3 mg/m ³		TWA: 3 mg/m ³
Calcium oxide 1305-78-8			TWA: 2	! mg/m³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992). See section 15 for national exposure control parameters.

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Nitrile rubber.

Skin and body protectionWear suitable protective clothing.

Respiratory protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable

gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene

and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Gel
Appearance Black
Odor Petroleum

Color No information available

Odor Threshold Not applicable

Property Values Remarks Method

oH Neutral

Melting / freezing point 260 °C / 500 °F None known

Boiling point / boiling range < 316 °C / 600.8 °F

Flash Point > 221 °C

Evaporation RateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit No data available Lower flammability limit No data available

Vapor pressure No data available None known



Vapor density No data available None known

Relative density 1.27
Water Solubility Negligible

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water Not applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive propertiesOxidizing properties
No information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) Negligible

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Calcium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No known hazard by inhalation.

Eye contact None known.

Skin contact None known.

Ingestion Specific test data for the substance or mixture is not available. May be harmful if swallowed.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity



Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 2,105.00 mg/kg ATEmix (inhalation-dust/mist) 2,105.00 mg/kg

Unknown acute toxicity Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50				
Lubricating greases A complex	= 2280 mg/kg (Rat)						
combination of hydrocarbons							
having carbon numbers							
predominantly in the range of							
C12 through C50. may contain							
organic salts of alkali metals,							
alkaline earth metals, etc.							
Calcium oxide	= 500 mg/kg (Rat)						

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.		96h LC50: > 2000 mg/L (Salmo gairdneri)	-	
Talc	EC50 72 h: > 1000 mg/L (Skeletonema costatum)	96h LC50: > 1000 mg/L (Turbot)	10-day LC50 = > 12194mg/kg (Corophium	48h EC50: = >1000mg/L (Acartia tonsa)



		volutator)	
Calcium oxide	LC50 96 h: = 1070 mg/L	-	
	static (Cyprinus carpio)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NON-REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable



Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Complies.
KECL Complies.
PICCS Complies.
AICS Complies.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite	Х	Х	X		
7782-42-5					
Talc	Х	Х	Х		X



14807-96-6					
Mica	X	X	X		
12001-26-2					
Calcium oxide	X	Х	Х	Х	
1305-78-8					

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties
HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

01-Mar-2019

Issuing Date 10-Nov-2011

Revision Note Initial Release

Disclaimer

Revision Date

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

