# **SAFETY DATA SHEET**



## 1. Identification

Product identifier Val-Tex Valve Flush

Other means of identification None.

Recommended use Lubricant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer/Supplier CMC Materials; 15431 Vantage Pkwy E. Suite 210; Houston, Texas 77032; United States

**Telephone** 1.800.627.9771

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Amber Business Centre; Riddings Alfreton Derbyshire DE55 4DA; United

Kingdom

**Telephone** +44 (0) 1773 844200

E-mail sales.val-tex@cmcmaterials.com

Representative CMC Materials; Les Vieilles Hayes; 50620 Saint Fromond; France

**Telephone** +33 (0) 2 33 75 64 00

E-mail sales.val-tex@cmcmaterials.com

Distributor CMC Materials Sealweld Canada, INC.; Bay 106, 4116 64th Ave.S.E., Calgary, AB, T2C 2B3

**Telephone** 1.800.661.8465

E-mail sales.val-tex@cmcmaterials.com

**Emergency phone number** 

3E Global Incident Response Hotline

**USA** +1.866.519.4752 **International** +1.760.476.3962

Access code 333035

CHEMTREC For Dangerous Goods Incidents ONLY (spill, leak, fire, exposure or accident), call

CHEMTREC 24/7 at:

**Canada, USA** +1.800.424.9300 **International** +1.703.741.5970

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

Val-Tex Valve Flush SDS US

932410 Version #: 03 Revision date: 06-August-2021 Issue date: 26-February-2016

**Disposal** 

Hazard(s) not otherwise

Dispose of waste and residues in accordance with local authority requirements.

classified (HNOC)

None known.

Supplemental information

After prolonged contact with highly porous materials, this product may spontaneously combust.

# 3. Composition/information on ingredients

#### **Mixtures**

Ingestion

| Chemical name    | CAS number  | %   |  |
|------------------|-------------|-----|--|
| Amorphous Silica | 112945-52-5 | 4.9 |  |

**Composition comments** 

All concentrations are in percent by weight unless otherwise indicated.

Components not listed are either non-hazardous or are below reportable limits.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eve contact** Rinse with water. Get medical attention if irritation develops and persists.

Most important

symptoms/effects, acute and delayed

Rinse mouth. Get medical attention if symptoms occur. Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** 

Remove and isolate contaminated clothing and shoes. Clothing contaminated with this product may spontaneously catch fire if improperly discarded. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. During fire, gases hazardous to health may be formed. Combustion products may include: carbon oxides, silicon oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Do not point solid water stream directly into burning oil to avoid spreading. Water may be ineffective in fighting an oil fire unless used by experienced firefighters.

Use standard firefighting procedures and consider the hazards of other involved materials.

Will burn if involved in a fire. Spontaneous combustion can occur.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up The product is immiscible with water and will sediment in water systems. Stop the flow of material, if this is without risk. Contain the discharged material. Shovel the material into waste container. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Clean contaminated area with oil-removing material. Rags, steel wool, or waste contaminated with this product may spontaneously catch fire if improperly discarded. Used rags or other cleaning materials should be soaked with water and placed in a sealed container.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Observe good industrial hygiene practices. Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when wetted with this material. May auto-oxidize with sufficient heat generation to ignite if spread (as a thin film) or absorbed on porous or fibrous material. Contaminated rags and cloths must be put in fireproof containers for disposal.

Val-Tex Valve Flush SDS US Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

es SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-3 (29 CFR 1910.1000)

 Components
 Type
 Value

 Amorphous Silica (CAS 112945-52-5)
 TWA 0.8 mg/m3

20 mppcf

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value

 Amorphous Silica (CAS)
 TWA
 6 mg/m3

112945-52-5)

Biological limit values No biological exposure limits noted for the ingredient(s).

**Exposure guidelines**Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Skin protection

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical stateLiquid.FormLiquid.ColorClear amber.

Odor Slight castor oil smell.

Odor thresholdProperty has not been measured.pHProperty has not been measured.Melting point/freezing pointProperty has not been measured.Initial boiling point and boilingProperty has not been measured.

range

Flash point 555.001 °F (290.556 °C) Cleveland Open Cup

Evaporation rate Property has not been measured.
Flammability (solid, gas) Will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured.

Explosive limit - upper (%) Property has not been measured.

Vapor pressure Property has not been measured.

Vapor density Property has not been measured.

Relative density 0.975 (H2O = 1)

Val-Tex Valve Flush SDS US

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Property has not been measured.

(n-octanol/water)

**Auto-ignition temperature** Property has not been measured. Property has not been measured. **Decomposition temperature Viscosity** Property has not been measured.

Other information

**Density** Property has not been measured.

**Explosive properties** Not explosive.

Property has not been measured. Kinematic viscosity

Not oxidizing. **Oxidizing properties** 

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

Porous material such as rags, paper, insulation, or organic clay may spontaneously combust when

wetted with this material.

Conditions to avoid Contact with incompatible materials.

Strong oxidizers. Incompatible materials

Hazardous decomposition

products

reactions

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Vapor from heated material or mist may cause respiratory irritation.

Skin contact Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Eye contact

May cause discomfort if swallowed. Ingestion

#### Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous Silica (CAS 112945-52-5) 3 Not classifiable as to carcinogenicity to humans.

**NTP Report on Carcinogens** 

Not listed.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure

**Aspiration hazard** Due to the physical form of the product it is not expected to be an aspiration hazard.

Val-Tex Valve Flush SDS US 932410 Version #: 03 Revision date: 06-August-2021 Issue date: 26-February-2016

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No

No data is available on the degradability of this product.

Bioaccumulative potential

No data available on bioaccumulation.

Mobility in soil

The product is insoluble in water. Expected to have low mobility in soil.

Other adverse effects None known.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Porous combustible material contaminated with this product must be collected in a tightly closed metal container. Cover with water, or a solution of water and detergent. Store in a cool place.

Protect from heat and direct sunlight.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

## 15. Regulatory information

US federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All co

All components of the mixture on the TSCA 8(b) inventory are designated

5/6

"active".

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Val-Tex Valve Flush SDS US

932410 Version #: 03 Revision date: 06-August-2021 Issue date: 26-February-2016

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Co

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Amorphous Silica (CAS 112945-52-5)

#### US. New Jersey Worker and Community Right-to-Know Act

Not listed.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Amorphous Silica (CAS 112945-52-5)

#### **US. Rhode Island RTK**

Not regulated.

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### **International Inventories**

Country(s) or region

| Australia   | Australian Inventory of Industrial Chemicals (AICIS)                   | Yes |
|-------------|--|-----|
| Canada      | Domestic Substances List (DSL)   | Yes |
| Canada      | Non-Domestic Substances List (NDSL)                                    | No  |
| China       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes |
| Europe      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |
| Europe      | European List of Notified Chemical Substances (ELINCS)                 | No  |
| Japan       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes |
| Korea       | Existing Chemicals List (ECL)  | Yes |
| New Zealand | New Zealand Inventory  | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes |
| Taiwan      | Taiwan Chemical Substance Inventory (TCSI)                             | Yes |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

# 16. Other information, including date of preparation or last revision

Inventory name

**Issue date** 26-February-2016 **Revision date** 06-August-2021

Version # 03

United States & Puerto Rico

NFPA ratings



#### **Disclaimer**

CMC Materials Val-Tex cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.

Val-Tex Valve Flush SDS US

932410 Version #: 03 Revision date: 06-August-2021 Issue date: 26-February-2016

Yes

On inventory (yes/no)\*